

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(compar\$5 adj4 job adj2 information\$5 with ip adj2 address\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:58
		(determin\$5 decid\$5 analyz\$5 compar\$5) same owner\$5 same (print\$5 adj2 (job\$5 data\$5 image\$2) with (user adj2 address\$5 host adj2 computer\$5 pc ip adj2 address\$2 information\$5 adj2 process\$5 adj2 apparatus\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:42
		(compar\$5 near4 owner\$5 ndar4 (print\$5 adj2 (job\$5 data\$5 image\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:25
		(compar\$5 near4 owner\$5 adj2 (print\$5 adj2 (job\$5 data\$5 image\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:24
		(determin\$5 decid\$5 analyz\$5 compar\$5) same owner\$5 near4 (print\$5 adj2 (job\$5 data\$2)) same ((owner\$5 user\$5 near4 (computer\$5 informat\$5 adj2 process\$5 adj2 apparatus\$5 pc host\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 14:57
L2	5	((("5206735") or ("6130757")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:45
L3	0	(job\$5 adj2 (status\$5 information\$5)) with (owner\$5 adj2 name\$5 near6 ip adj2 address\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 11:45
L4	0	(job\$5 adj2 (status\$5 information\$5)) same (owner\$5 adj2 name\$5 near6 ip adj2 address\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 11:45
L5	2	(job\$5 adj2 (status\$5 information\$5)) same (owner\$5 near7 address\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 11:48

L6	0	(job\$5 adj2 (status\$5 information\$5)) same (owner\$4 near4 print\$5 adj2 job\$5 with computer\$5 adj2 id\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 11:48
L7	0	(determin\$5 decid\$5 analyz\$5 compar\$5) with (owner\$5 near4 (print\$5 adj2 (job\$5 data\$2))) with computer\$5 adj2 (id identification\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 11:49
L8	0	(determin\$5 decid\$5 analyz\$5 compar\$5) same (owner\$5 near4 (print\$5 adj2 (job\$5 data\$2))) with computer\$5 adj2 (id identification\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 11:49
L9	0	(determin\$5 decid\$5 analyz\$5 compar\$5) same (owner\$5 near4 (print\$5 adj2 (job\$5 data\$2))) same computer\$5 adj2 (id identification\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 11:49
L10	586	(determin\$5 decid\$5 analyz\$5 compar\$5) with computer\$5 adj2 (id identification\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 11:49
L11	129	(determin\$5 decid\$5 analyz\$5 compar\$5) with computer\$5 adj2 (id identification\$5) same user\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 11:49
L12	37	(determin\$5 decid\$5 analyz\$5 compar\$5) with computer\$5 adj2 (id identification\$5) with (user\$5 owner\$5) and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 11:52
L13	11	(determin\$5 decid\$5 analyz\$5 compar\$5) with (owner\$5 adj2 print\$5 adj2 (job\$5 data\$5 image\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 11:53
L14	4	(job\$5 adj2 (status\$5 information\$5)) with (owner\$5 adj2 print\$5 adj2 (job\$5 data\$5 image\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 11:53
L15	4	(job\$5 adj2 (status\$5 information\$5)) same (owner\$5 adj2 print\$5 adj2 (job\$5 data\$5 image\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 11:59

L16	4	(job\$5 adj2 (status\$5 information\$5)) with ((owner\$5 user\$4) near2 (name\$2)) with ((computer\$2 host\$5 information\$5 adj2 process\$5 adj1 apparatus\$5 client\$5) near2 (id\$1 identification\$5 identid\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 12:25
L17	2	("6025925").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 12:25
S1	7	((("5206735") or ("6332170") or ("6130757")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 14:37
S2	0	(determin\$5 decid\$5) with (owner\$5 adj2 print\$5 adj2 job\$5) with (user\$5 adj2 address\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 14:39
S3	0	(determin\$5 decid\$5) with (owner\$5 adj2 print\$5 adj2 job\$5) with (pc ip adj2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 14:39
S4	4	(determin\$5 decid\$5) with (owner\$5 adj2 print\$5 adj2 job\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 14:41
S5	50	(determin\$5 decid\$5) adj4 (owner\$5 user\$5) near4 print\$5 adj2 job\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 14:41
S6	2	(determin\$5 decid\$5) adj4 (owner\$5) near4 print\$5 adj2 job\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 14:42
S7	12	(determin\$5 decid\$5 analyz\$5) with owner\$5 with print\$5 adj2 job\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 14:50
S8	16	(determin\$5 decid\$5 analyz\$5 compar\$5) with owner\$5 with print\$5 adj2 job\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 14:56

S9	4	S8 not S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 14:52
S10	22	(determin\$5 decid\$5 analyz\$5 compar\$5) same owner\$5 near4 (print\$5 adj2 (job\$5 data\$2)) same ((owner\$5 user\$5 near4 (computer\$5 informat\$5 adj2 process\$5 adj2 apparatus\$5 pc host\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:00
S11	22	(determin\$5 decid\$5 analyz\$5 compar\$5) same (owner\$5 near4 (print\$5 adj2 (job\$5 data\$2))) same ((owner\$5 user\$5 near4 (computer\$5 informat\$5 adj2 process\$5 adj2 apparatus\$5 pc host\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 11:48
S12	47298	(determin\$5 decid\$5 analyz\$5 compar\$5) same ((owner\$5 user\$5 near4 (computer\$5 informat\$5 adj2 process\$5 adj2 apparatus\$5 pc host\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:02
S13	21	(determin\$5 decid\$5 analyz\$5 compar\$5) same ((owner\$5 user\$5 near4 (computer\$5 informat\$5 adj2 process\$5 adj2 apparatus\$5 pc host\$5))) same (owner\$5 near4 print\$5 adj2 (job\$5 data\$5 image\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:18
S14	121	(determin\$5 decid\$5 analyz\$5 compar\$5) same ((owner\$5 user\$5 near4 (computer\$5 informat\$5 adj2 process\$5 adj2 apparatus\$5 pc host\$5))) same (user\$2 near4 print\$5 adj2 (job\$5 data\$5 image\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:04
S15	387	(determin\$5 decid\$5 analyz\$5 compar\$5) same ((owner\$5 user\$5 near4 (computer\$5 informat\$5 adj2 process\$5 adj2 apparatus\$5 pc host\$5))) same (user\$2 with print\$5 adj2 (job\$5 data\$5 image\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:03
S16	21	(determin\$5 decid\$5 analyz\$5 compar\$5) same ((owner\$5 user\$5 near4 (computer\$5 informat\$5 adj2 process\$5 adj2 apparatus\$5 pc host\$5))) same (owner\$2 near4 print\$5 adj2 (job\$5 data\$5 image\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:07

S17	2	("6519048").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 15:08
S18	2	("5995723").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 15:10
S19	2	ep-848322-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:16
S20	2	("6469796").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 15:18
S21	2	("5898823").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 15:22
S22	94	(interrupt\$5 near4 print\$5) with (server\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:23
S23	375	(interrupt\$5 near4 print\$5) near4 request\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:23
S24	15	(interrupt\$5 near4 print\$5) near4 request\$5 with server\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:24
S25	0	(compar\$5 near4 owner\$5 adj2 (print\$5 adj2 (job\$5 data\$5 image\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:25
S26	1	(compar\$5 near4 owner\$5 near4 (print\$5 adj2 (job\$5 data\$5 image\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:25

S27	7	(compar\$5 with owner\$5 near4 (print\$5 adj2 (job\$5 data\$5 image\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:40
S28	0	(compar\$5 with owner\$5 with (print\$5 adj2 (job\$5 data\$5 image\$2))) same (host information\$5 adj2 process\$5 adj2 apparatus\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:41
S29	2	(determin\$5 decid\$5 analyz\$5 compar\$5) same owner\$5 same (print\$5 adj2 (job\$5 data\$5 image\$2) with (user adj2 address\$5 host adj2 computer\$5 pc ip adj2 address\$2 information\$5 adj2 process\$5 adj2 apparatus\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:52
S30	1	(compar\$5 adj2 ownership\$5 with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:54
S31	552	(compar\$5 adj4 (owner\$5 user\$5) adj2 (id identification\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:55
S32	14	(compar\$5 adj4 (owner\$5 user\$5) adj2 (id identification\$5)) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:57
S33	2	(compar\$5 adj4 (owner\$5 user\$5) adj2 (id identification\$5)) with ip adj2 address\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:57
S34	1	(compar\$5 adj4 job adj2 information\$5 with ip adj2 address\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:59
S35	1	(compar\$5 with job adj2 information\$5 with ip adj2 address\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:59

S36	2	(compar\$5 with job near4 information\$5 with ip adj2 address\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:00
S37	8	(compar\$5 with job with ip adj2 address\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:02
S38	0	(compar\$5 with owner\$5 with ip adj2 address\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:02
S39	4	(compar\$5 with owner\$5 with ip adj2 address\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:02
S40	31	(determin\$5 decid\$5 analyz\$5 compar\$5) with print\$5 adj2 (job\$2 data image\$2 information\$5 header\$5) with owner\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:19
S41	2	("20020021902").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 19:35
S42	2	jp-11069076-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 19:15
S43	2	("6594545").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 19:30
S44	12	("3871643" "4134581" "4522486" "5096184" "5328169" "5358238" "5547178" "5551686" "5599009" "5609333" "5823529" "5898592").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/01 19:32
S45	1	("6914687").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 19:32

S46	0	((("5,982,994A") or ("6,604,506B2")).PN. or ((2003/0007078) or (2002/0015171)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 19:35
S47	9	((("20030007078") or ("5,982,994") or ("6,604,506") or ("20020015171")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 19:38
S48	0	ep-085745-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 19:38
S49	1	ep-185745-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 19:38
S50	2	ep-1085745-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 19:39
S51	2	("6594545").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 19:39